

# PBRM1 Rabbit mAb [tC9p]

Cat NO. :A47369

#### Information:

Applications	Reactivity:	UniProt ID:	MW(kDa)	Host	Isotype	Size
WB IHC ICC/IF FC	Human,Mouse,R	Q86U86	193kDa	Rabbit	IgG	50ul,100ul,200ul
	at					

Applications detail:

Application

WB

1:1000-2000

IHC

1:100

ICC/IF

1:100

The optimal dilutions should be determined by the end user

_					
Cc	nii	ıaa	ite:		
$\sim$	/	190			

UnConjugate

Form:

Liquid

sensitivity:

**Endogenous** 

Purification:

Affinity-chromatography

## Specificity:

Antibody is produced by immunizing animals with A synthesized peptide derived from human PBRM1

### Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

Products are valid for one natural year of receipt. Avoid repeated freeze / thaw cycles.

### Tissue specificity:

Widely expressed..

### Subcellular location:

Nucleus.

Function:

Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/
Immunofluorescence F: Flow Cytometry

Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse



Involved in transcriptional activation and repression of select genes by chromatin remodeling (alteration of DNA-nucleosome topology). Required for the stability of the SWI/SNF chromatin remodeling complex SWI/SNF-B (PBAF). Acts as a negative regulator of cell proliferation..

### **Validation Data:**

### PBRM1 Rabbit mAb [tC9p] Images



Western blot ( SDS PAGE ) analysis of extracts from HeLa cell lysate. Using PBRM1 Rabbit mAb [tC9p]at dilution of 1:1000 incubated at  $4^{\circ}$  over night.

View more information on http://naturebios.com