

DIx4/BP1 Rabbit mAb [215R]

Cat NO. :A92631

Information:

| Applications | Reactivity: | UniProt ID: | MW(kDa) | Host | Isotype | Size |
|---------------|-------------|-------------|---------|--------|---------|-------------|
| WB,IHC,ICC/IF | н | Q92988 | 26 kDa | Rabbit | IgG | 100ul,200ul |

Applications detail:

ApplicationDilutionWB1:1000-2000IHC1:100,ICC/IF1:100,The optimal dilutions should be determined by the end user

| | | | gate: | | | |
|-------|-----|-------|-------|--|--|--|
| 1 · ^ | nıı | - | to. | | | |
| | | | | | | |
| - | | . 9 4 | | | | |

UnConjugate

Form:

Liquid

sensitivity:

Endogenous

Purification:

Protein A purification

Specificity:

Antibody is produced by immunizing animals with a synthetic peptide of Human DIx4/BP1.

Storage buffer and conditions:

Antibody store in 10 mM PBS, 0.5mg/ml BSA, 50% glycerol (buffer) .

Shipped at 4°C. Store at-20°C or -80°C.

 $\label{products} \textbf{Products are valid for one natural year of receipt.} \textbf{Avoid repeated freeze} \ \textit{I} \ \textbf{thaw cycles}.$

Tissue specificity:

Expressed in leukemia cells and placenta. Also expressed in kidney and fetal liver..

Subcellular location:

Nucleus.

Function:

May play a role in determining the production of hemoglobin S. May act as a repressor. During embryonic development, plays a role in palatogenesis..


Introduction: WB: Western Blot IP: Immunoprecipitation IHC: Immunohistochemistry ChIP: Chromatin Immunoprecipitation ICC/IF: Immunocytochemistry/
Immunofluorescence F: Flow Cytometry

Cross Reactivity: H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus MI: mink C: chicken Dm D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Hr: horse



Validation Data:

Dlx4/BP1 Rabbit mAb [215R] Images



Western blot (SDS PAGE) analysis of extracts from SW480 cells lyastes.using Dlx4/BP1 Rabbit mAb [215R] at dilution of 1:1000 incubated at 4° C over night

View more information on http://naturebios.com